

**NOTIS SEBUTHARGA**

Syarikat tuan/puan adalah dipelawa untuk menawarkan sebutharga bagi barangan seperti di bawah menurut syarat- syarat seperti yang dicatatkan berikut :-

|                                                               |                                                    |                                                                         |                                                                |
|---------------------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>No. Sebutharga :</b><br><b>TNB/YTN 16/5/1 Bil. 73/2024</b> | <b>Tarikh dibuka :</b><br><b>24 September 2024</b> | <b>Tarikh ditutup :</b><br><b>03 Oktober 2024 @<br/>12.00 tengahari</b> | <b>Sebutharga</b><br><b>sahlaku sehingga</b><br><b>6 Bulan</b> |
|---------------------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------|

| <b>NO.</b> | <b>KETERANGAN</b>                                                                                      |
|------------|--------------------------------------------------------------------------------------------------------|
| 1.         | Pembelian sebuah (1) buah pencetak warna untuk kegunaan anggota kerja di Yayasan Tenaga Nasional (YTN) |

**Kategori :**

- 1. Kementerian Kewangan: 210101**
- 2. Berdaftar Dengan Tenaga Nasional Berhad (TNB), Dan**
- 3. Bertaraf Bumiputera**


**Syarikat Perlu Mengemukakan Semua Salinan Dokumen Di Atas Semasa Menghantar Dokumen Sebutharga.**

**Pemakluman :**

- Yayasan Tenaga Nasional (YTN) berhak menyetujui terima sebahagian ataupun sepenuhnya sebutharga yang ditawarkan.
- Yayasan Tenaga Nasional (YTN) tidak terikat menyetujui terima sebutharga yang paling rendah atau mana-mana sebutharga.
- Syarikat yang menarik balik tawaran mereka sebelum sebutharga dipertimbangkan atau menolak tawaran setelah disetujui terima oleh Yayasan Tenaga Nasional (YTN) akan dikenakan tindakan sama ada dengan penggantungan atau pengguguran pendaftaran syarikat untuk tempoh yang ditetapkan.
- Syarikat yang gagal membekalkan barang-barang dalam masa yang ditetapkan setelah menerima pesanan atau kontrak pembekalan boleh dikenakan tindakan seperti berikut :-
  - Pemotongan bayaran/ denda sebanyak *RM100.00* sehari atau 2% (yang mana lebih tinggi) sebulan sehingga maksima 10% daripada nilai pesanan tempatan atau kontrak berkenaan *atau*
  - Dikehendaki membayar perbezaan harga tempatan/ kontrak yang dikeluarkan kepada syarikat yang lain yang dipilih oleh Yayasan Tenaga Nasional (YTN) bagi mendapatkan barang-barang/perkhidmatan yang gagal dibekalkan *atau*
  - Penggantungan pendaftaran Syarikat untuk tempoh yang akan ditetapkan oleh Yayasan Tenaga Nasional (YTN).

|                                                               |                                                    |                                                                         |                                                     |
|---------------------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------|
| <b>No. Sebutharga :</b><br><b>TNB/YTN 16/5/1 Bil. 73/2024</b> | <b>Tarikh dibuka :</b><br><b>24 September 2024</b> | <b>Tarikh ditutup :</b><br><b>03 Oktober 2024 @<br/>12.00 tengahari</b> | <b>Sebutharga<br/>sah laku sehingga<br/>6 Bulan</b> |
|---------------------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------|

Borang sebutharga yang telah diisi dengan lengkap hendaklah dimasukkan ke dalam sampul surat yang dimeteraikan serta ditulis dengan jelas menggunakan **huruf besar, no. rujukan sebutharga dan tarikh tutup** di penjuru atas sebelah kiri di atas sampul surat tuan/puan. Sebutharga yang lengkap hendaklah dimasukkan ke dalam **Peti Tender YTN** tidak lewat daripada waktu dan tarikh yang telah ditetapkan. Harga yang ditawarkan hendaklah tetap bagi sah laku selama **enam (6) bulan** dari tarikh sebutharga ditawarkan. **Borang sebutharga yang tidak mempunyai cop syarikat tidak akan dilayan.**



.....  
(**MOHAMAD NOR AZALI BIN LAJIN**) <sup>10</sup>  
Pengarah  
Yayasan Tenaga Nasional

*Pemakluman Notis Perlindungan Data Peribadi. Polisi PDP boleh diakses di laman sesawang YTN di pautan berikut: <https://info365.uniten.edu.my/yesportal/Home/GetPdfBM>*

|                                                            |                                                            |                                                                             |                                                                |
|------------------------------------------------------------|------------------------------------------------------------|-----------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>No. Sebutarga</b><br><b>TNB/YTN 16/5/1 Bil. 73/2024</b> | <b>Tarikh dibuka</b><br><b>24 September</b><br><b>2024</b> | <b>Tarikh ditutup</b><br><b>03 Oktober 2024 @</b><br><b>12.00 tengahari</b> | <b>Sebutarga sah laku</b><br><b>sehingga</b><br><b>6 BULAN</b> |
|------------------------------------------------------------|------------------------------------------------------------|-----------------------------------------------------------------------------|----------------------------------------------------------------|

| <b>Bil.</b> | <b>Jenis Barangan</b> | <b>Jenama</b>                         | <b>Kuantiti</b> | <b>Jumlah Keseluruhan (Harga Bersih) (RM)</b> |
|-------------|-----------------------|---------------------------------------|-----------------|-----------------------------------------------|
| 1.          | Pencetak Warna        | CANON imageCLASS MF756Cx (Lampiran 1) | 1 buah          |                                               |

Sila nyatakan tempoh Jaminan dan Pembekalan (**WAJIB**) barangan tersebut :-.....

Barangan akan dibekalkan dalam tempoh ..... hari bekerja dari tarikh kelulusan dimaklumkan.

Setelah meneliti dan memahami spesifikasi, syarat-syarat sebutarga, kami/saya yang menurunkan tandatangan seperti di bawah ini bersetuju melaksanakan kerja-kerja pembekalan di atas dengan harga seperti yang dinyatakan di dalam jadual di atas dan bersetuju dikenakan denda seperti di para d) i, ii, iii di atas dari tarikh tempoh siap kerja yang ditetapkan.

Nama : \_\_\_\_\_

Tarikh : \_\_\_\_\_

No. Telefon : \_\_\_\_\_

Email : \_\_\_\_\_

\_\_\_\_\_  
Tandatangan & Cop Syarikat (**WAJIB**)

#### **Harga: Percuma**

**Tempat Barangan Dibekalkan :**  
Yayasan Tenaga Nasional,  
Aras 1, Blok BB, UNITEN  
Km 7, Jalan IKRAM - UNITEN,  
43000 Kajang,  
Selangor

- Harga yang ditawarkan hendaklah serahan bersih termasuk semua cukai-cukai kerajaan, insurans, kos penghantaran ke tempat serahan, dan pemasangan dan lain-lain
- Sebarang pertanyaan mengenai proses perolehan, sila hubungi Puan Zalina Abdul Ghani/Ruzila Ismail dan mengenai spesifikasi pencetak dengan Encik Muhamad Ros Azmir bin Roslan/Puan Noor Marhamad binti Wahab ditalian 03-89247500.



## imageCLASS MF756Cx

| PRINT                                          |                 | MF758Cx(4-In-1)                                                                       |
|------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|
| Printing Method                                |                 | Colour Laser Beam Printing                                                            |
| Print Speed                                    | A4              | 33 ppm (Mono/ Colour)                                                                 |
|                                                | Letter          | 35 ppm (Mono/ Colour)                                                                 |
|                                                | 2-Sided         | 29 ppm (Mono/ Colour)                                                                 |
| Print Resolution                               |                 | 600 x 600 dpi                                                                         |
| Print Quality with Image Refinement Technology |                 | 1,200 x1,200 dpi (equivalent)                                                         |
| Warm-Up Time (From Power On)                   |                 | 14 sec or less                                                                        |
| First Print Out Time (FPOT)                    | A4              | 7.1sec (Mono / Colour)                                                                |
|                                                | Letter          | 7.0 sec (Mono / Colour)                                                               |
| Recovery Time (From Sleep Mode)                |                 | 5.3 sec or less                                                                       |
| Print Language                                 |                 | UFR II, PCL 6, Adobe® PostScript® 3™                                                  |
| Auto Duplex Print                              |                 | Yes                                                                                   |
| Print Margins                                  |                 | Top/Bottom/Left/Right Margin : 5 mm<br>Top/Bottom/Left/Right Margin :10 mm (Envelope) |
| Supported File Format For USB Direct Print     |                 | JPEG, TIFF, PDF                                                                       |
| COPY                                           |                 |                                                                                       |
| Copy Speed                                     | A4              | 33 ppm (Mono/ Colour)                                                                 |
|                                                | Letter          | 35 ppm (Mono/ Colour)                                                                 |
| Copy Resolution                                |                 | 600 x 600 dpi                                                                         |
| First Copy Time (FCOT)<br>ADF                  | A4              | 7.6/ 8.8 sec (Mono / Colour)                                                          |
|                                                | Letter          | 7.4/ 8.6sec (Mono / Colour)                                                           |
| Maximum Number of Copies                       |                 | Up to 999 copies                                                                      |
| Reduce/Enlargement                             |                 | 25-400% in 1% increments                                                              |
| Copy Features                                  |                 | Frame Erase, Collate, 2 on 1, 4 on1, ID Card Copy, Passport Copy                      |
| SCAN                                           |                 |                                                                                       |
| Scan Resolution                                | Optical         | Platen glass : up to 600 x 600 dpi,<br>Feeder : up to 300 x300 dpi                    |
|                                                | Driver Enhanced | Up to 9,600 x 9,600 dpi                                                               |
| Scan Type                                      |                 | Colour Contact Image Sensor                                                           |
| Maximum Scan Size                              | Platen Glass    | Up to 216.0 x 297 mm                                                                  |
|                                                | Feeder          | Up to 216.0 x 355.6 mm                                                                |
| Scan Speed                                     |                 | 1-Sided: 50/ 40 ipm (Mono / Colour)<br>2-Sided:100/ 80 ipm (Mono / Colour)            |
| Colour Depth                                   |                 | 24-bit                                                                                |

|                                               |                       |                                                                                                                                                                                                                     |
|-----------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pull Scan                                     |                       | Yes, USB and Network                                                                                                                                                                                                |
| Push Scan (Scan To PC) with MF Scan Utility   |                       | Yes, USB and Network                                                                                                                                                                                                |
| Scan To USB (Via USB Host 2.0)                |                       | Yes                                                                                                                                                                                                                 |
| Scan To Cloud                                 |                       | MF Scan Utility, Cloud Apps (Application Library)                                                                                                                                                                   |
| Scan Driver Compatibility                     |                       | TWAIN, WIA                                                                                                                                                                                                          |
| SEND                                          |                       |                                                                                                                                                                                                                     |
| SEND Method                                   |                       | SMB, Email, FTP, iFAX                                                                                                                                                                                               |
| Color Mode                                    |                       | Full Colour, Grayscale, Monochrome                                                                                                                                                                                  |
| Scan Resolution                               |                       | 300 x 600 dpi                                                                                                                                                                                                       |
| File Format                                   |                       | JPEG, TIFF, PDF, Compact PDF, PDF (OCR)                                                                                                                                                                             |
| FAX                                           |                       |                                                                                                                                                                                                                     |
| Modem Speed                                   |                       | Up to 33.6 Kbps                                                                                                                                                                                                     |
| Fax Resolution                                |                       | Up to 408 x 392 dpi                                                                                                                                                                                                 |
| Compression Method                            |                       | MH, MR, MMR, JBIG                                                                                                                                                                                                   |
| Memory Capacity                               |                       | Up to 512 pages                                                                                                                                                                                                     |
| Favourite Dials (in address book)             |                       | 19 dials                                                                                                                                                                                                            |
| Speed Dial (Coded Dials)                      |                       | Up to 281 dials                                                                                                                                                                                                     |
| Group Dials / Destinations                    |                       | Max 299 dials / Max 299 destinations                                                                                                                                                                                |
| Duplex Fax (Transmission)                     |                       | Yes                                                                                                                                                                                                                 |
| Sequential Broadcast                          |                       | Max.310 destinations                                                                                                                                                                                                |
| Receive Mode                                  |                       | Fax Only, Manual, Answering, Fax/Tel Auto Switch                                                                                                                                                                    |
| Memory Backup                                 |                       | Permanent fax memory backup (backup with flash memory)                                                                                                                                                              |
| Fax Features                                  |                       | Fax Forwarding, Dual Access, Remote Reception, PC Fax (Transmission only), DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports                               |
| Transmission Time                             |                       | Approx. 2.6 sec                                                                                                                                                                                                     |
| PAPER HANDLING                                |                       |                                                                                                                                                                                                                     |
| Auto Document Feeder(ADF)                     |                       | Duplex ADF: 50 sheets (80 g/m <sup>2</sup> )                                                                                                                                                                        |
| Available Paper Size for ADF                  |                       | A4, B5, A5, A6, Letter, Legal, Statement, Business Card (min. 48.0 x 85.0 mm to max. 216.0 x 355.6 mm)                                                                                                              |
| Paper Input<br>(Based on 80g/m <sup>2</sup> ) | Standard Cassette     | 250 sheets                                                                                                                                                                                                          |
|                                               | Multi-Purpose Tray    | 50 sheets                                                                                                                                                                                                           |
|                                               | Optional Paper Feeder | 550 sheets                                                                                                                                                                                                          |
| Maximum Paper Input Capacity                  |                       | 850 sheets                                                                                                                                                                                                          |
| Paper Output                                  |                       | 150 sheets                                                                                                                                                                                                          |
| Paper Sizes                                   | Standard Cassette     | A4, B5, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Envelope (OOM10, Monarch, C5, DL), Custom (min. 98.0 x148.0 mm to max. 216.0 x356.0 mm)           |
|                                               | Multi-Purpose Tray    | A4, BS, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Index Card, Envelope (COM10, Monarch, C5, DL), Custom (min.76.0 x127.0 mm to mv 216.0 x 356.0 mm) |
|                                               | Optional Paper Feeder | A4, B5,A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, CuNom (min.100.0 x148.0 mm to max. 216.0 x 356.0 mm)                                               |
| Available Paper Size for Auto Duplex Print    |                       | A4, B5, A5, Letter, Legal, Executive, Foolscap, Indian Legal                                                                                                                                                        |

|                                    |                                             |                                                                                                                                                                |
|------------------------------------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Paper Types                        |                                             | Plain, Thick, Coated, Recycled, Colour, Label, Postcard, Envelope                                                                                              |
| Paper Weight                       | ADF                                         | 50 to 105 g/m <sup>2</sup>                                                                                                                                     |
|                                    | Standard Cassette/<br>Optional Paper Feeder | 60 to 200 g/m <sup>2</sup>                                                                                                                                     |
|                                    | Multi-Purpose Tray                          | 60 to 200 g/m <sup>2</sup>                                                                                                                                     |
| <b>Connectivity &amp; Software</b> |                                             |                                                                                                                                                                |
| Standard Interfaces                | Wired                                       | USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T                                                                                                             |
|                                    | Wireless                                    | Wi-Fi 802.11b/g/n (Infrastructure mode, WPS, Direct Connection)                                                                                                |
| Network Protocol                   | Print                                       | LPD, RAW, WSD-Print (IPv4, IPv6)                                                                                                                               |
|                                    | Scan                                        | Email, SMB, WSD-Scan (IPv4, IPv6), FTP                                                                                                                         |
|                                    | TCP/IP Application Services                 | Bonjour (mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)                                                 |
|                                    | Management                                  | SNMPv1, SNMPv3 (IPv4, IPv6)                                                                                                                                    |
| Network Security                   | Wired                                       | IP/Mac address filtering, HTTPS, SNMPv3, IEEE802.1x, IPSEC, TLS1.3                                                                                             |
|                                    | Wireless                                    | Infrastructure Mode: WEP (64/128 bit), WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA-EAP (AES), WPA2-EAP (AES), IEEE802.1x<br>Access Point Mode: WPA2-PSK (AES) |
| Other Features                     |                                             | Department ID, Secure Print, Application Library                                                                                                               |
| Mobile Solution                    |                                             | Canon PRINT Business, Canon Print Service, Apple® AirPrint™, Mopria® Print Service, Microsoft Universal Print                                                  |
| Address Book                       |                                             | LDAP                                                                                                                                                           |
| Compatible Operating System        |                                             | Windows®, Windows Server®, Mac® OS, Linux™*                                                                                                                    |
| Software Included                  |                                             | Printer driver, Fax driver, Scanner driver, MF Scan Utility, Toner Status                                                                                      |
| <b>GENERAL</b>                     |                                             |                                                                                                                                                                |
| Device Memory                      |                                             | 1GB                                                                                                                                                            |
| Display                            |                                             | WVGA Colour LCD 5-inch Touch Screen Display                                                                                                                    |
| Dimension (WxDxH)                  |                                             | 425x 461x 430 mm                                                                                                                                               |
| Weight                             |                                             | 22.0kg                                                                                                                                                         |
| Power Consumption                  | Maximum (Operation)                         | 1,380 W or less                                                                                                                                                |
|                                    | Average (Operation)                         | 700 W                                                                                                                                                          |
|                                    | Average (Standby)                           | 24.0 W                                                                                                                                                         |
|                                    | Average (Sleep)                             | 1.0 W (USB Wired/Wireless)                                                                                                                                     |
| Operating Environment              | Temperature                                 | 10 - 30°C                                                                                                                                                      |
|                                    | Humidity                                    | 20% - 80% RH (no condensation)                                                                                                                                 |
| Power Requirements                 |                                             | Ac 220 - 240 V (+/-10%), 50/60 Hz (+/-2 Hz)                                                                                                                    |
| Toner Cartridge                    | Standard                                    | Cartridge 069 BK: 2,100 pages (bundled: 2,100 pages)<br>Cartridge 069 CMY 1,900 pages (bundled: 1,100 pages)                                                   |
|                                    | High                                        | Cartridge 069H BK: 7,600 pages Cartridge 069H CMY: 5,500 pages                                                                                                 |
| Monthly Duty Cycle                 |                                             | 50,000 pages                                                                                                                                                   |
| <b>OPTIONAL ACCESSORIES</b>        |                                             |                                                                                                                                                                |
| Paper Feeder                       |                                             | Paper Feeder PF-K1 (550 sheets)                                                                                                                                |
| Barcode Printing                   |                                             | Barcode Printing Kit-EIE                                                                                                                                       |